

ISO 10243 D SERIES



ULTRA LIGHT DUTY ISO COLOUR CODED **LIGHT GREEN**


CHARGE SUPER LÉGÈRE NORME ISO COULEUR **VERT CLAIR**

CARGA SUPER LIGEROS **VERDE CLARO** CÓDIGO COLOR SEGÚN ISO

ULTRALEICHTER BELASTUNG ISO FARBUNTERLEGTES **HELLGRÜN**

CARICO SUPER LEGGERO CODICE CROMATICO ISO **VERDE CHIARO**

CARGA SUPER LEVE **COR VERDE CLARO (ISO)**




ISO

H	R	Lo	Part No.	P/f	L ₁ 30%		L ₂ 40%		L ₃ 50%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
20.0	10.0	25	302-404-D	29.4	221	7.5	294	10.0	368	12.5	488	16.6
		32	302-405-D	22.6	217	9.6	289	12.8	362	16.0	488	21.6
		38	302-406-D	18.6	212	11.4	283	15.2	353	19.0	476	25.6
		44	302-407-D	15.7	207	13.2	276	17.6	345	22.0	468	29.8
		51	302-408-D	13.7	210	15.3	279	20.4	349	25.5	478	34.9
		64	302-410-D	11.3	217	19.2	289	25.6	362	32.0	507	44.9
		76	302-412-D	9.8	223	22.8	298	30.4	372	38.0	530	54.1
		89	302-414-D	8.3	222	26.7	295	35.6	369	44.5	526	63.4
		102	302-416-D	7.4	226	30.6	302	40.8	377	51.0	544	73.5
		114	302-418-D	6.4	219	34.2	292	45.6	365	57.0	521	81.4
		127	302-420-D	5.9	225	38.1	300	50.8	375	63.5	542	91.9
		140	302-422-D	5.4	227	42.0	302	56.0	378	70.0	549	101.6
		152	302-424-D	4.9	223	45.6	298	60.8	372	76.0	539	109.9
305	302-448-D	2.5	229	91.5	305	122.0	381	152.5	556	222.5		
25.0	12.5	25	302-504-D	53.9	404	7.5	539	10.0	674	12.5	782	14.5
		32	302-505-D	42.2	405	9.6	540	12.8	675	16.0	806	19.1
		38	302-506-D	35.8	408	11.4	544	15.2	680	19.0	831	23.2
		44	302-507-D	31.4	414	13.2	553	17.6	691	22.0	860	27.4
		51	302-508-D	27.0	413	15.3	551	20.4	689	25.5	869	32.2
		64	302-510-D	21.6	415	19.2	553	25.6	691	32.0	886	41.0
		76	302-512-D	18.1	413	22.8	550	30.4	688	38.0	889	49.1
		89	302-514-D	15.2	406	26.7	541	35.6	676	44.5	869	57.2
		102	302-516-D	13.2	404	30.6	539	40.8	673	51.0	870	65.9
		114	302-518-D	11.8	404	34.2	538	45.6	673	57.0	870	73.7
		127	302-520-D	10.6	404	38.1	538	50.8	673	63.5	878	82.8
		140	302-522-D	9.6	403	42.0	538	56.0	672	70.0	876	91.3
		152	302-524-D	8.8	401	45.6	535	60.8	669	76.0	869	98.8
178	302-528-D	7.6	406	53.4	541	71.2	676	89.0	885	116.4		
203	302-532-D	6.7	408	60.9	544	81.2	680	101.5	895	133.6		
305	302-548-D	4.4	403	91.5	537	122.0	671	152.5	884	200.8		
32.0	16.0	38	302-606-D	43.1	491	11.4	655	15.2	819	19.0	1065	24.7
		44	302-607-D	37.3	492	13.2	656	17.6	821	22.0	1082	29.0
		51	302-608-D	32.4	496	15.3	661	20.4	826	25.5	1105	34.1
		64	302-610-D	25.5	490	19.2	653	25.6	816	32.0	1107	43.4
		76	302-612-D	21.6	492	22.8	657	30.4	821	38.0	1128	52.2
		89	302-614-D	18.1	483	26.7	644	35.6	805	44.5	1102	60.9
		102	302-616-D	15.7	480	30.6	641	40.8	801	51.0	1099	70.0
		114	302-618-D	14.2	486	34.2	648	45.6	809	57.0	1115	78.5
		127	302-620-D	12.7	484	38.1	645	50.8	806	63.5	1118	88.0
		140	302-622-D	11.6	487	42.0	650	56.0	812	70.0	1131	97.5
		152	302-624-D	10.6	483	45.6	644	60.8	806	76.0	1120	105.7
		178	302-628-D	9.0	481	53.4	641	71.2	801	89.0	1113	123.7
		203	302-632-D	7.8	475	60.9	633	81.2	792	101.5	1100	141.0
254	302-640-D	6.4	488	76.2	650	101.6	813	127.0	1146	179.0		
305	302-648-D	5.3	485	91.5	647	122.0	808	152.5	1140	215.0		
40.0	20.0	51	302-708-D	48.1	736	15.3	981	20.4	1227	25.5	1481	30.8
		64	302-710-D	39.2	753	19.2	1004	25.6	1254	32.0	1560	39.8
		76	302-712-D	33.3	759	22.8	1012	30.4	1265	38.0	1602	48.1
		89	302-714-D	28.4	758	26.7	1011	35.6	1264	44.5	1613	56.8
		102	302-716-D	24.5	750	30.6	1000	40.8	1250	51.0	1588	64.8
		114	302-718-D	22.1	756	34.2	1008	45.6	1260	57.0	1622	73.4
		127	302-720-D	19.6	747	38.1	996	50.8	1245	63.5	1601	81.7
		140	302-722-D	17.7	743	42.0	991	56.0	1239	70.0	1595	90.1
		152	302-724-D	16.2	739	45.6	985	60.8	1231	76.0	1583	97.7
		178	302-728-D	13.7	732	53.4	975	71.2	1219	89.0	1567	114.4
		203	302-732-D	12.3	749	60.9	999	81.2	1248	101.5	1630	132.5
		254	302-740-D	9.8	747	76.2	996	101.6	1245	127.0	1631	166.4
		305	302-748-D	8.3	759	91.5	1013	122.0	1266	152.5	1676	201.9



ISO 10243 D SERIES



H	R	Lo	Part No.	P/f	L ₁ 30%		L ₂ 40%		L ₃ 50%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
50.0	25.0	64	302-810-D	86.3	1657	19.2	2209	25.6	2762	32.0	3461	40.1
		76	302-812-D	70.6	1610	22.8	2146	30.4	2683	38.0	3382	47.9
		89	302-814-D	59.8	1597	26.7	2129	35.6	2661	44.5	3373	56.4
		102	302-816-D	52.0	1591	30.6	2122	40.8	2652	51.0	3390	65.2
		114	302-818-D	46.1	1577	34.2	2102	45.6	2628	57.0	3379	73.3
		127	302-820-D	42.2	1608	38.1	2144	50.8	2680	63.5	3482	82.5
		140	302-822-D	38.2	1604	42.0	2139	56.0	2674	70.0	3503	91.7
		152	302-824-D	34.3	1564	45.6	2085	60.8	2607	76.0	3375	98.4
		178	302-828-D	29.4	1570	53.4	2093	71.2	2617	89.0	3410	116.0
		203	302-832-D	25.5	1553	60.9	2071	81.2	2588	101.5	3376	132.4
		254	302-840-D	20.6	1570	76.2	2093	101.6	2616	127.0	3459	167.9
		305	302-848-D	17.2	1574	91.5	2098	122.0	2623	152.5	3483	202.5

ISO



ISO 10243 D SERIES



LIGHT DUTY ISO COLOUR CODED GREEN


CHARGE LÉGÈRE NORME ISO COULEUR VERTE

CARGA LIGERA VERDE CÓDIGO COLOR SEGÚN ISO

LEICHTER BELASTUNG ISO FARBUNTERLEGTES GRÜN

CARICHI LEGGERI COLORE VERDE SECONDO NORMA ISO

CARGA LEVE COR VERDE (ISO)




ISO

H	R	Lo	Part No.	P/f	L ₁ 25%		L ₂ 30%		L ₃ 40%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
10.0	5.0	25	303-104-D	12.2	76	6.3	92	7.5	122	10.0	165	13.5
		32	303-105-D	9.9	79	8.0	95	9.6	127	12.8	174	17.5
		38	303-106-D	8.2	78	9.5	94	11.4	125	15.2	171	20.8
		44	303-107-D	6.4	71	11.0	85	13.2	113	17.6	155	24.1
		51	303-108-D	6.3	80	12.8	96	15.3	129	20.4	182	28.9
		64	303-110-D	5.3	85	16.0	102	19.2	135	25.6	198	37.5
		76	303-112-D	4.3	81	19.0	97	22.8	129	30.4	184	43.4
		305	303-148-D	1.0	79	76.3	95	91.5	127	122.0	185	178.0
12.5	7.0	25	303-204-D	18.6	116	6.3	139	7.5	186	10.0	292	15.7
		32	303-205-D	14.9	119	8.0	143	9.6	190	12.8	309	20.8
		38	303-206-D	12.7	121	9.5	145	11.4	194	15.2	321	25.2
		44	303-207-D	11.1	123	11.0	147	13.2	196	17.6	329	29.5
		51	303-208-D	9.3	118	12.8	142	15.3	190	20.4	315	33.9
		64	303-210-D	7.2	115	16.0	138	19.2	184	25.6	305	42.4
		76	303-212-D	5.9	112	19.0	134	22.8	178	30.4	292	49.8
		89	303-214-D	4.7	105	22.3	127	26.7	169	35.6	270	57.0
		102	303-216-D	4.1	105	25.5	125	30.6	167	40.8	239	58.4
305	303-248-D	1.4	104	76.3	124	91.5	166	122.0	268	196.9		
16.0	8.5	25	303-304-D	31.7	198	6.3	238	7.5	317	10.0	441	13.9
		32	303-305-D	23.2	186	8.0	223	9.6	297	12.8	409	17.6
		38	303-306-D	20.5	195	9.5	234	11.4	312	15.2	449	21.9
		44	303-307-D	17.9	197	11.0	236	13.2	315	17.6	461	25.8
		51	303-308-D	15.5	198	12.8	237	15.3	316	20.4	470	30.3
		64	303-310-D	12.7	203	16.0	243	19.2	325	25.6	496	39.1
		76	303-312-D	10.0	189	19.0	227	22.8	303	30.4	446	44.8
		89	303-314-D	8.9	199	22.3	239	26.7	318	35.6	486	54.4
		102	303-316-D	7.6	193	25.5	232	30.6	309	40.8	486	64.1
		114	303-318-D	6.6	188	28.5	226	34.2	301	45.6	401	60.8
305	303-348-D	2.6	195	76.3	234	91.5	312	122.0	484	188.9		
20.0	10.0	25	303-404-D	55.4	346	6.3	415	7.5	554	10.0	742	13.4
		32	303-405-D	43.4	347	8.0	416	9.6	555	12.8	772	17.8
		38	303-406-D	34.4	327	9.5	392	11.4	523	15.2	712	20.7
		44	303-407-D	27.7	305	11.0	366	13.2	488	17.6	637	23.0
		51	303-408-D	24.9	318	12.8	381	15.3	509	20.4	623	25.0
		64	303-410-D	18.8	301	16.0	361	19.2	482	25.6	643	34.2
		76	303-412-D	16.1	306	19.0	367	22.8	489	30.4	667	41.5
		89	303-414-D	13.1	292	22.3	350	26.7	467	35.6	619	47.2
		102	303-416-D	11.9	303	25.5	363	30.6	484	40.8	666	56.1
		114	303-418-D	11.0	315	28.5	378	34.2	504	45.6	717	65.4
		127	303-420-D	9.4	298	31.8	358	38.1	478	50.8	665	70.7
		140	303-422-D	8.6	298	35.0	357	42.0	476	56.0	664	77.5
		152	303-424-D	7.6	287	38.0	344	45.6	459	60.8	612	81.1
		305	303-448-D	3.8	291	76.3	350	91.5	466	122.0	648	169.6
25.0	12.5	25	303-504-D	103.1	644	6.3	773	7.5	1031	10.0	1361	13.2
		32	303-505-D	80.7	646	8.0	775	9.6	1033	12.8	1420	17.6
		38	303-506-D	64.6	613	9.5	736	11.4	981	15.2	1336	20.7
		44	303-507-D	53.8	592	11.0	710	13.2	947	17.6	1280	23.8
		51	303-508-D	45.8	584	12.8	701	15.3	935	20.4	1260	27.5
		64	303-510-D	35.7	571	16.0	685	19.2	914	25.6	1246	34.9
		76	303-512-D	28.6	542	19.0	651	22.8	868	30.4	1151	40.3
		89	303-514-D	24.8	551	22.3	661	26.7	881	35.6	1193	48.2
		102	303-516-D	20.6	526	25.5	631	30.6	841	40.8	1105	53.6
		114	303-518-D	18.6	534	28.5	640	34.2	854	45.6	1141	61.5
		127	303-520-D	16.7	530	31.8	636	38.1	847	50.8	1131	67.8
		140	303-522-D	14.6	506	35.0	607	42.0	810	56.0	1041	71.5
		152	303-524-D	13.6	518	38.0	621	45.6	828	60.8	1091	80.1
		178	303-528-D	11.8	524	44.5	629	53.4	839	71.2	1123	95.3
		203	303-532-D	10.6	535	50.8	642	60.9	857	81.2	1170	110.9
		305	303-548-D	6.8	515	76.3	618	91.5	824	122.0	1098	162.6



ISO 10243 D SERIES



H	R	Lo	Part No.	P/f	L ₁ 25%		L ₂ 30%		L ₃ 40%		L ₄	
					N	D	N	D	N	D	N	D
32.0	16.0	38	303-606-D	91.8	872	9.5	1046	11.4	1395	15.2	2230	24.3
		44	303-607-D	83.2	915	11.0	1098	13.2	1464	17.6	2305	27.7
		51	303-608-D	70.6	901	12.8	1081	15.3	1441	20.4	2289	32.4
		64	303-610-D	55.1	881	16.0	1057	19.2	1410	25.6	2257	41.0
		76	303-612-D	45.7	868	19.0	1041	22.8	1388	30.4	2233	48.9
		89	303-614-D	38.6	859	22.3	1031	26.7	1374	35.6	2220	57.5
		102	303-616-D	33.7	860	25.5	1032	30.6	1376	40.8	2240	66.4
		114	303-618-D	30.0	861	28.5	1033	34.2	1378	45.6	2255	75.3
		127	303-620-D	25.8	820	31.8	984	38.1	1312	50.8	2102	81.4
		140	303-622-D	23.8	826	35.0	991	42.0	1322	56.0	2135	89.8
		152	303-624-D	21.7	825	38.0	990	45.6	1319	60.8	2135	98.4
		178	303-628-D	17.6	784	44.5	941	53.4	1255	71.2	1986	112.7
		203	303-632-D	15.6	792	50.8	950	60.9	1267	81.2	2022	129.6
		254	303-640-D	12.6	799	63.5	959	76.2	1279	101.6	2062	163.8
305	303-648-D	9.6	732	76.3	878	91.5	1171	122.0	1801	187.6		
40.0	20.0	51	303-708-D	104.6	1333	12.8	1600	15.3	2133	20.4	2667	25.5
		64	303-710-D	79.6	1273	16.0	1528	19.2	2037	25.6	2506	31.5
		76	303-712-D	66.6	1264	19.0	1517	22.8	2023	30.4	2522	37.9
		89	303-714-D	57.2	1272	22.3	1527	26.7	2036	35.6	2596	45.4
		102	303-716-D	48.6	1239	25.5	1487	30.6	1982	40.8	2497	51.4
		114	303-718-D	43.2	1243	28.5	1491	34.2	1989	45.6	2538	58.7
		127	303-720-D	39.2	1245	31.8	1494	38.1	1992	50.8	2560	65.3
		140	303-722-D	35.0	1215	35.0	1458	42.0	1944	56.0	2462	70.4
		152	303-724-D	31.7	1206	38.0	1447	45.6	1929	60.8	2437	76.8
		178	303-728-D	27.3	1215	44.5	1458	53.4	1944	71.2	2493	91.3
		203	303-732-D	23.5	1191	50.8	1429	60.9	1905	81.2	2412	102.8
254	303-740-D	18.9	1198	63.5	1438	76.2	1917	101.6	2461	130.4		
305	303-748-D	15.5	1179	76.3	1415	91.5	1886	122.0	2412	156.0		
50.0	25.0	64	303-810-D	148.6	2377	16.0	2853	19.2	3804	25.6	6166	41.5
		76	303-812-D	125.2	2378	19.0	2853	22.8	3805	30.4	5782	46.2
		89	303-814-D	104.5	2324	22.3	2789	26.7	3719	35.6	5641	54.0
		102	303-816-D	90.4	2304	25.5	2765	30.6	3687	40.8	5629	62.3
		114	303-818-D	78.7	2261	28.5	2714	34.2	3618	45.6	5514	70.1
		127	303-820-D	70.4	2235	31.8	2681	38.1	3575	50.8	5447	77.4
		140	303-822-D	63.1	2192	35.0	2630	42.0	3507	56.0	5311	84.2
		152	303-824-D	56.9	2163	38.0	2595	45.6	3460	60.8	5224	91.8
		178	303-828-D	48.6	2164	44.5	2597	53.4	3462	71.2	5271	108.4
		203	303-832-D	41.8	2121	50.8	2545	60.9	3393	81.2	5132	122.8
		254	303-840-D	35.7	2264	63.5	2717	76.2	3623	101.6	5734	160.8
305	303-848-D	26.8	2040	76.3	2448	91.5	3264	122.0	4879	182.4		
63.0	38.0	76	303-912-D	191.2	3633	19.0	4359	22.8	5812	30.4	7036	36.8
		89	303-914-D	157.5	3503	22.3	4204	26.7	5605	35.6	6833	43.4
		102	303-916-D	136.1	3471	25.5	4165	30.6	5553	40.8	6819	50.1
		114	303-918-D	118.1	3395	28.5	4074	34.2	5432	45.6	6648	56.3
		127	303-920-D	105.7	3355	31.8	4026	38.1	5368	50.8	6625	62.7
		152	303-924-D	86.3	3281	38.0	3937	45.6	5249	60.8	6657	77.1
		178	303-928-D	73.7	3278	44.5	3934	53.4	5245	71.2	6792	92.2
		203	303-932-D	63.2	3209	50.8	3851	60.9	5134	81.2	6513	103.0
		254	303-940-D	49.9	3167	63.5	3800	76.2	5067	101.6	6483	130.0
		305	303-948-D	41.0	3124	76.3	3749	91.5	4998	122.0	6432	157.0

ISO



ISO 10243 D SERIES



MEDIUM DUTY ISO COLOUR CODED **BLUE**


CHARGE MOYENNE NORME ISO COULEUR **BLEUE**

CARGA MEDIA **AZUL** CÓDIGO COLOR SEGÚN ISO

MITTLERER BELASTUNG ISO FARBUNTERLEGTES **BLAU**

CARICHI MEDI COLORE **BLU** SECONDO NORMA ISO

CARGA MEDIA **COR AZUL** (ISO)




ISO

H	R	Lo	Part No.	P/f	L ₁ 25%		L ₂ 30%		L ₃ 40%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
10.0	5.0	25	304-104-D	15.7	98	6.3	117	7.5	157	10.0	188	12.0
		32	304-105-D	13.5	108	8.0	130	9.6	173	12.8	233	17.2
		38	304-106-D	11.7	111	9.5	133	11.4	177	15.2	246	21.1
		44	304-107-D	9.6	105	11.0	127	13.2	169	17.6	227	23.7
		51	304-108-D	8.6	110	12.8	132	15.3	176	20.4	247	28.6
		64	304-110-D	6.6	106	16.0	127	19.2	169	25.6	233	35.2
		76	304-112-D	5.5	105	19.0	126	22.8	168	30.4	230	41.7
		305	304-148-D	1.4	103	76.3	124	91.5	165	122.0	229	169.4
12.5	7.0	25	304-204-D	29.4	184	6.3	220	7.5	294	10.0	376	12.8
		32	304-205-D	22.5	180	8.0	216	9.6	287	12.8	373	16.6
		38	304-206-D	18.7	178	9.5	213	11.4	284	15.2	372	19.9
		44	304-207-D	15.9	175	11.0	210	13.2	280	17.6	366	23.0
		51	304-208-D	13.7	175	12.8	210	15.3	280	20.4	371	27.0
		64	304-210-D	10.5	167	16.0	201	19.2	268	25.6	345	33.0
		76	304-212-D	8.7	165	19.0	198	22.8	264	30.4	338	39.0
		89	304-214-D	7.5	166	22.3	200	26.7	266	35.6	347	46.4
		102	304-216-D	6.3	161	25.5	193	30.6	257	40.8	329	52.3
305	304-248-D	2.2	164	76.3	197	91.5	262	122.0	347	161.2		
16.0	8.5	25	304-304-D	55.7	348	6.3	418	7.5	557	10.0	646	11.6
		32	304-305-D	40.0	320	8.0	384	9.6	512	12.8	568	14.2
		38	304-306-D	34.7	329	9.5	395	11.4	527	15.2	617	17.8
		44	304-307-D	30.6	336	11.0	404	13.2	538	17.6	655	21.4
		51	304-308-D	26.6	339	12.8	406	15.3	542	20.4	672	25.3
		64	304-310-D	20.8	333	16.0	399	19.2	532	25.6	661	31.8
		76	304-312-D	17.8	339	19.0	407	22.8	542	30.4	692	38.8
		89	304-314-D	15.0	335	22.3	402	26.7	535	35.6	681	45.3
		102	304-316-D	13.3	339	25.5	406	30.6	542	40.8	701	52.8
		114	304-318-D	11.8	336	28.5	404	34.2	538	45.6	627	53.1
305	304-348-D	4.2	319	76.3	383	91.5	511	122.0	644	153.8		
20.0	10.0	25	304-404-D	91.0	569	6.3	682	7.5	910	10.0	955	10.5
		32	304-405-D	67.9	543	8.0	652	9.6	869	12.8	944	13.9
		38	304-406-D	55.1	524	9.5	629	11.4	838	15.2	915	16.6
		44	304-407-D	46.7	513	11.0	616	13.2	821	17.6	877	18.8
		51	304-408-D	39.9	509	12.8	611	15.3	814	20.4	922	23.1
		64	304-410-D	30.8	493	16.0	592	19.2	790	25.6	848	27.5
		76	304-412-D	25.7	488	19.0	586	22.8	781	30.4	869	33.8
		89	304-414-D	22.1	491	22.3	590	26.7	786	35.6	877	39.7
		102	304-416-D	19.4	494	25.5	592	30.6	790	40.8	916	47.3
		115	304-418-D	17.0	488	28.8	586	34.5	781	46.0	891	52.5
		127	304-420-D	15.3	485	31.8	583	38.1	777	50.8	870	56.9
		139	304-422-D	14.1	490	34.8	588	41.7	785	55.6	876	62.1
		152	304-424-D	12.8	486	38.0	583	45.6	777	60.8	864	67.6
		305	304-448-D	6.4	489	76.3	587	91.5	782	122.0	917	143.0
25.0	12.5	25	304-504-D	171.5	1072	6.3	1286	7.5	1715	10.0	1749	10.2
		32	304-505-D	126.5	1012	8.0	1214	9.6	1619	12.8	1733	13.7
		38	304-506-D	104.2	990	9.5	1188	11.4	1584	15.2	1637	15.7
		44	304-507-D	89.1	980	11.0	1176	13.2	1567	17.6	1639	18.4
		51	304-508-D	74.6	951	12.8	1141	15.3	1521	20.4	1618	21.7
		64	304-510-D	57.3	916	16.0	1099	19.2	1466	25.6	1489	26.0
		76	304-512-D	49.0	930	19.0	1116	22.8	1488	30.4	1581	32.3
		89	304-514-D	40.8	909	22.3	1090	26.7	1454	35.6	1552	38.0
		102	304-516-D	35.7	911	25.5	1093	30.6	1457	40.8	1540	43.1
		115	304-518-D	31.7	910	28.8	1092	34.5	1456	46.0	1551	49.0
		127	304-520-D	28.5	905	31.8	1086	38.1	1448	50.8	1539	54.0
		139	304-522-D	26.3	913	34.8	1096	41.7	1461	55.6	1579	60.1
		152	304-524-D	23.8	903	38.0	1083	45.6	1444	60.8	1544	65.0
		178	304-528-D	20.1	896	44.5	1075	53.4	1433	71.2	1542	76.6
		203	304-532-D	17.6	895	50.8	1074	60.9	1432	81.2	1559	88.4
		305	304-548-D	11.6	882	76.3	1059	91.5	1412	122.0	1562	135.0



ISO 10243 D SERIES



H	R	Lo	Part No.	P/f	L ₁ 25%		L ₂ 30%		L ₃ 40%		L ₄	
					N	D	N	D	N	D	N	D
32.0	16.0	38	304-606-D	166.8	1585	9.5	1902	11.4	2536	15.2	2903	17.4
		44	304-607-D	136.4	1500	11.0	1800	13.2	2400	17.6	2686	19.7
		51	304-608-D	116.2	1482	12.8	1778	15.3	2371	20.4	2697	23.2
		64	304-610-D	87.5	1401	16.0	1681	19.2	2241	25.6	2495	28.5
		76	304-612-D	70.9	1347	19.0	1617	22.8	2156	30.4	2425	34.2
		89	304-614-D	60.4	1343	22.3	1611	26.7	2148	35.6	2438	40.4
		102	304-616-D	51.6	1315	25.5	1578	30.6	2104	40.8	2475	48.0
		115	304-618-D	45.8	1315	28.8	1578	34.5	2105	46.0	4964	108.5
		127	304-620-D	41.7	1324	31.8	1589	38.1	2119	50.8	2469	59.2
		139	304-622-D	37.8	1314	34.8	1577	41.7	2103	55.6	2470	65.3
		152	304-624-D	33.8	1283	38.0	1539	45.6	2053	60.8	2464	73.0
		178	304-628-D	28.9	1288	44.5	1545	53.4	2061	71.2	2445	84.5
		203	304-632-D	24.9	1263	50.8	1515	60.9	2020	81.2	2411	96.9
		254	304-640-D	20.0	1268	63.5	1522	76.2	2029	101.6	2416	121.0
305	304-648-D	16.7	1272	76.3	1526	91.5	2035	122.0	2452	147.0		
40.0	20.0	51	304-708-D	170.3	2172	12.8	2606	15.3	3475	20.4	3645	21.4
		64	304-710-D	128.7	2059	16.0	2471	19.2	3295	25.6	3449	26.8
		76	304-712-D	107.3	2038	19.0	2445	22.8	3260	30.4	3507	32.7
		89	304-714-D	89.1	1982	22.3	2379	26.7	3172	35.6	3475	39.0
		102	304-716-D	75.5	1926	25.5	2312	30.6	3082	40.8	3331	44.1
		115	304-718-D	66.8	1921	28.8	2305	34.5	3074	46.0	3381	50.6
		127	304-720-D	61.0	1935	31.8	2323	38.1	3097	50.8	3408	55.9
		139	304-722-D	55.3	1923	34.8	2307	41.7	3076	55.6	3419	61.8
		152	304-724-D	50.8	1930	38.0	2316	45.6	3089	60.8	3429	67.5
		178	304-728-D	43.0	1914	44.5	2297	53.4	3062	71.2	3320	77.2
		203	304-732-D	37.4	1896	50.8	2275	60.9	3034	81.2	3430	91.8
254	304-740-D	30.1	1909	63.5	2291	76.2	3054	101.6	3397	113.0		
305	304-748-D	24.8	1887	76.3	2265	91.5	3020	122.0	3416	138.0		
50.0	25.0	64	304-810-D	211.8	3389	16.0	4067	19.2	5423	25.6	5974	28.2
		76	304-812-D	166.2	3158	19.0	3789	22.8	5052	30.4	5800	34.9
		89	304-814-D	139.4	3102	22.3	3722	26.7	4963	35.6	5464	39.2
		102	304-816-D	121.4	3095	25.5	3714	30.6	4952	40.8	5741	47.3
		115	304-818-D	107.0	3075	28.8	3690	34.5	4920	46.0	5626	52.6
		127	304-820-D	94.8	3009	31.8	3610	38.1	4814	50.8	5667	59.8
		139	304-822-D	86.4	3003	34.8	3604	41.7	4806	55.6	5627	65.1
		152	304-824-D	78.3	2975	38.0	3570	45.6	4759	60.8	5542	70.8
		178	304-828-D	65.9	2931	44.5	3517	53.4	4690	71.2	5546	84.2
		203	304-832-D	57.2	2901	50.8	3481	60.9	4641	81.2	5516	96.5
		229	304-836-D	50.8	2911	57.3	3493	68.7	4657	91.6	5491	108.0
		254	304-840-D	46.0	2919	63.5	3503	76.2	4671	101.6	5608	122.0
305	304-848-D	37.9	2891	76.3	3469	91.5	4625	122.0	5573	147.0		
63.0	38.0	76	304-912-D	303.5	5767	19.0	6920	22.8	9227	30.4	10199	33.6
		89	304-914-D	247.4	5506	22.3	6607	26.7	8809	35.6	9650	39.0
		102	304-916-D	210.8	5375	25.5	6450	30.6	8600	40.8	9464	44.9
		115	304-918-D	183.6	5278	28.8	6334	34.5	8445	46.0	9326	50.8
		127	304-920-D	162.6	5163	31.8	6195	38.1	8260	50.8	9041	55.6
		152	304-924-D	132.4	5029	38.0	6035	45.6	8047	60.8	8788	66.4
		178	304-928-D	111.1	4942	44.5	5930	53.4	7907	71.2	8629	77.7
		203	304-932-D	96.9	4916	50.8	5899	60.9	7866	81.2	8660	89.4
		229	304-936-D	85.9	4918	57.3	5901	68.7	7868	91.6	8934	104.0
		254	304-940-D	77.4	4917	63.5	5900	76.2	7867	101.6	8835	114.1
		305	304-948-D	64.1	4890	76.3	5868	91.5	7824	122.0	8850	138.0

ISO



ISO 10243 D SERIES



HEAVY DUTY ISO COLOUR CODED **RED**


CHARGE FORTE NORME ISO COULEUR **ROUGE**

CARGA FUERTE **ROJO** CÓDIGO COLOR SEGÚN ISO

SCHWERER BELASTUNG ISO FARBUNTERLEGTES **ROT**

CARICHI FORTI COLORE **ROSSO** SECONDO NORMA ISO

CARGA PESADA COR **VERMELHA** (ISO)




ISO

H	R	Lo	Part No.	P/f	L ₁ 20%		L ₂ 25%		L ₃ 30%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
10.0	5.0	25	305-104-D	23.4	117	5.0	146	6.3	175	7.5	222	9.5
		32	305-105-D	18.0	115	6.4	144	8.0	172	9.6	221	12.3
		38	305-106-D	16.6	126	7.6	158	9.5	189	11.4	279	16.8
		44	305-107-D	14.5	127	8.8	159	11.0	191	13.2	288	19.9
		51	305-108-D	12.0	122	10.2	153	12.8	183	15.3	266	22.2
		64	305-110-D	9.9	126	12.8	158	16.0	189	19.2	290	29.4
		76	305-112-D	7.9	120	15.2	150	19.0	179	22.8	260	33.1
		305	305-148-D	1.9	118	61.0	147	76.3	177	91.5	260	134.5
12.5	7.0	25	305-204-D	42.4	212	5.0	265	6.3	318	7.5	475	11.2
		32	305-205-D	31.8	203	6.4	254	8.0	305	9.6	455	14.3
		38	305-206-D	27.1	206	7.6	257	9.5	308	11.4	476	17.6
		44	305-207-D	23.8	209	8.8	261	11.0	314	13.2	499	21.0
		51	305-208-D	19.9	203	10.2	254	12.8	305	15.3	479	24.0
		64	305-210-D	15.2	194	12.8	243	16.0	291	19.2	443	29.2
		76	305-212-D	13.5	204	15.2	256	19.0	307	22.8	498	37.0
		89	305-214-D	11.1	197	17.8	246	22.3	295	26.7	465	42.0
		102	305-216-D	8.4	171	20.4	214	25.5	257	30.6	368	43.8
305	305-248-D	3.2	192	61.0	240	76.3	288	91.5	458	145.4		
16.0	8.5	25	305-304-D	78.0	390	5.0	487	6.3	585	7.5	741	9.5
		32	305-305-D	61.0	390	6.4	488	8.0	586	9.6	787	12.9
		38	305-306-D	50.7	385	7.6	482	9.5	578	11.4	786	15.5
		44	305-307-D	45.5	400	8.8	501	11.0	601	13.2	874	19.2
		51	305-308-D	36.9	377	10.2	471	12.8	565	15.3	779	21.1
		64	305-310-D	29.4	377	12.8	471	16.0	565	19.2	798	27.1
		76	305-312-D	25.7	390	15.2	488	19.0	585	22.8	875	34.1
		89	305-314-D	21.8	388	17.8	485	22.3	582	26.7	875	40.1
		102	305-316-D	18.9	386	20.4	482	25.5	579	30.6	870	46.0
		114	305-318-D	15.7	358	22.8	447	28.5	537	34.2	691	44.0
		305	305-348-D	6.2	375	61.0	469	76.3	563	91.5	849	138.0
20.0	10.0	25	305-404-D	219.2	1096	5.0	1370	6.3	1644	7.5	1819	8.3
		32	305-405-D	171.3	1097	6.4	1371	8.0	1645	9.6	1885	11.0
		38	305-406-D	136.6	1038	7.6	1298	9.5	1557	11.4	1721	12.6
		44	305-407-D	116.3	1024	8.8	1280	11.0	1536	13.2	1745	15.0
		51	305-408-D	96.7	986	10.2	1232	12.8	1479	15.3	1701	17.6
		64	305-410-D	74.2	950	12.8	1187	16.0	1425	19.2	1677	22.6
		76	305-412-D	62.8	955	15.2	1194	19.0	1433	22.8	1728	27.5
		89	305-414-D	53.9	959	17.8	1198	22.3	1438	26.7	1707	31.7
		102	305-416-D	46.5	949	20.4	1187	25.5	1424	30.6	1745	37.5
		114	305-418-D	41.9	963	22.8	1204	28.5	1445	34.2	1784	42.6
		127	305-420-D	37.3	948	25.4	1185	31.8	1422	38.1	1698	45.5
		140	305-422-D	33.9	942	28.0	1177	35.0	1413	42.0	1697	50.1
		152	305-424-D	30.9	939	30.4	1174	38.0	1409	45.6	1724	55.8
		305	305-448-D	15.2	927	61.0	1159	76.3	1391	91.5	1733	114.0
25.0	12.5	25	305-504-D	371.4	1857	5.0	2321	6.3	2785	7.5	3157	8.5
		32	305-505-D	280.7	1796	6.4	2246	8.0	2695	9.6	3088	11.0
		38	305-506-D	219.5	1668	7.6	2085	9.5	2502	11.4	2765	12.6
		44	305-507-D	201.3	1771	8.8	2214	11.0	2657	13.2	3100	15.4
		51	305-508-D	163.1	1664	10.2	2080	12.8	2495	15.3	2919	17.9
		64	305-510-D	127.1	1626	12.8	2033	16.0	2440	19.2	2935	23.1
		76	305-512-D	107.3	1631	15.2	2039	19.0	2446	22.8	2822	26.3
		89	305-514-D	90.1	1603	17.8	2004	22.3	2405	26.7	2747	30.5
		102	305-516-D	78.4	1599	20.4	1998	25.5	2398	30.6	2923	37.3
		114	305-518-D	70.6	1624	22.8	2029	28.5	2435	34.2	2958	41.9
		127	305-520-D	63.2	1605	25.4	2007	31.8	2408	38.1	2920	46.2
		140	305-522-D	57.5	1598	28.0	1997	35.0	2397	42.0	2834	49.3
		152	305-524-D	53.1	1613	30.4	2016	38.0	2420	45.6	2955	55.7
		178	305-528-D	45.2	1609	35.6	2012	44.5	2414	53.4	2943	65.1
		203	305-532-D	39.5	1602	40.6	2002	50.8	2403	60.9	2939	74.5
		305	305-548-D	26.8	1632	61.0	2040	76.3	2449	91.5	3136	117.2



ISO 10243 D SERIES



H	R	Lo	Part No.	P/f	L ₁ 20%		L ₂ 25%		L ₃ 30%		L ₄	
					N	D	N	D	N	D	N	D
32.0	16.0	38	305-606-D	387.2	2943	7.6	3678	9.5	4414	11.4	4879	12.6
		44	305-607-D	313.0	2754	8.8	3443	11.0	4131	13.2	4664	14.9
		51	305-608-D	267.5	2728	10.2	3410	12.8	4092	15.3	4761	17.8
		64	305-610-D	204.3	2615	12.8	3269	16.0	3923	19.2	4577	22.4
		76	305-612-D	171.7	2609	15.2	3261	19.0	3914	22.8	4480	26.1
		89	305-614-D	141.5	2518	17.8	3147	22.3	3777	26.7	4357	30.8
		102	305-616-D	123.6	2522	20.4	3152	25.5	3783	30.6	4549	36.8
		114	305-618-D	109.8	2525	22.8	3156	28.5	3787	34.2	4545	41.4
		127	305-620-D	98.7	2508	25.4	3135	31.8	3762	38.1	4384	44.4
		140	305-622-D	89.2	2478	28.0	3098	35.0	3718	42.0	4324	48.5
		152	305-624-D	81.7	2484	30.4	3105	38.0	3726	45.6	4478	54.8
		178	305-628-D	69.2	2465	35.6	3081	44.5	3697	53.4	4403	63.6
		203	305-632-D	60.7	2463	40.6	3078	50.8	3694	60.9	4398	72.5
		254	305-640-D	48.4	2458	50.8	3073	63.5	3687	76.2	4491	92.8
305	305-648-D	40.2	2452	61.0	3064	76.3	3677	91.5	4501	112.0		
40.0	20.0	51	305-708-D	371.7	3791	10.2	4739	12.8	5686	15.3	6318	17.0
		64	305-710-D	300.1	3841	12.8	4801	16.0	5761	19.2	6961	23.2
		76	305-712-D	233.6	3551	15.2	4439	19.0	5326	22.8	6237	26.7
		89	305-714-D	197.0	3507	17.8	4384	22.3	5260	26.7	6167	31.3
		102	305-716-D	170.3	3475	20.4	4344	25.5	5212	30.6	6320	37.1
		114	305-718-D	155.7	3582	22.8	4478	28.5	5373	34.2	6603	42.4
		127	305-720-D	137.4	3490	25.4	4363	31.8	5236	38.1	6390	46.5
		140	305-722-D	123.4	3431	28.0	4289	35.0	5147	42.0	6554	53.1
		152	305-724-D	114.4	3477	30.4	4346	38.0	5215	45.6	6416	56.1
		178	305-728-D	96.8	3445	35.6	4306	44.5	5167	53.4	6522	67.4
		203	305-732-D	84.7	3440	40.6	4300	50.8	5160	60.9	6456	76.2
254	305-740-D	67.6	3433	50.8	4291	63.5	5149	76.2	6500	96.2		
305	305-748-D	56.2	3428	61.0	4285	76.3	5142	91.5	6474	115.2		
50.0	25.0	64	305-810-D	424.3	5431	12.8	6788	16.0	8146	19.2	9800	23.1
		76	305-812-D	335.1	5094	15.2	6367	19.0	7640	22.8	8880	26.5
		89	305-814-D	276.8	4927	17.8	6159	22.3	7391	26.7	8720	31.5
		102	305-816-D	244.9	4996	20.4	6244	25.5	7493	30.6	9207	37.6
		114	305-818-D	214.6	4936	22.8	6170	28.5	7404	34.2	9164	42.7
		127	305-820-D	189.1	4804	25.4	6005	31.8	7205	38.1	8983	47.5
		140	305-822-D	169.0	4699	28.0	5874	35.0	7049	42.0	8756	51.8
		152	305-824-D	154.0	4683	30.4	5854	38.0	7024	45.6	8904	57.8
		178	305-828-D	130.8	4658	35.6	5822	44.5	6986	53.4	8962	68.5
		203	305-832-D	115.1	4671	40.6	5839	50.8	7007	60.9	8929	77.6
		254	305-840-D	90.5	4598	50.8	5748	63.5	6898	76.2	8862	97.9
305	305-848-D	75.5	4606	61.0	5757	76.3	6908	91.5	9136	121.0		
63.0	38.0	76	305-912-D	516.6	7852	15.2	9815	19.0	-	-	12760	24.7
		89	305-914-D	515	9167	17.8	11459	22.3	-	-	15450	30.0
		102	305-916-D	438	8935	20.4	11169	25.5	-	-	15374	35.1
		114	305-918-D	370	8436	22.8	10545	28.5	-	-	13875	37.5
		127	305-920-D	333	8458	25.4	10573	31.8	-	-	15285	45.9
		152	305-924-D	269	8178	30.4	10222	38.0	-	-	15199	56.5
		178	305-928-D	226	8046	35.6	10057	44.5	-	-	15097	66.8
		203	305-932-D	198	8039	40.6	10049	50.8	-	-	15602	78.8
		229	305-936-D	143.6	6577	45.8	8221	57.3	-	-	12307	85.7
		254	305-940-D	155	7874	50.8	9843	63.5	-	-	15810	102.0
		305	305-948-D	128	7808	61.0	9760	76.3	-	-	15616	122.0

ISO



ISO 10243 D SERIES



EXTRA HEAVY DUTY ISO COLOUR CODED **YELLOW**


CHARGE EXTRA FORTE NORME ISO COULEUR **JAUNE**

CARGA EXTRA FUERTE **AMARILLO** CÓDIGO COLOR SEGÚN ISO

EXTRASCHWERER BELASTUNG ISO FARBUNTERLEGTES **GELB**

CARICHI EXTRA FORTI COLORE **GIALLO** SECONDO NORMA ISO

CARGA EXTRA PESADA **COR AMARELA** (ISO)




ISO

H	R	Lo	Part No.	P/f	L ₁ 17%		L ₂ 20%		L ₃ 25%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
10.0	5.0	25	306-104-D	36.4	155	4.3	182	5.0	228	6.3	280	7.7
		32	306-105-D	27.5	149	5.4	176	6.4	220	8.0	291	10.6
		38	306-106-D	23.3	150	6.5	177	7.6	221	9.5	293	12.6
		44	306-107-D	19.6	147	7.5	173	8.8	216	11.0	271	13.8
		51	306-108-D	16.8	146	8.7	171	10.2	214	12.8	272	16.2
		64	306-110-D	13.3	145	10.9	170	12.8	213	16.0	271	20.4
		76	306-112-D	11.2	144	12.9	169	15.2	212	19.0	281	25.2
		305	306-148-D	2.7	141	51.9	166	61.0	207	76.3	302	111.0
12.5	7.0	25	306-204-D	54.7	233	4.3	274	5.0	342	6.3	487	8.9
		32	306-205-D	42.4	230	5.4	271	6.4	339	8.0	540	12.8
		38	306-306-D	34.6	223	6.5	263	7.6	328	9.5	480	13.9
		44	306-207-D	27.8	208	7.5	245	8.8	306	11.0	459	16.5
		51	306-208-D	25.3	219	8.7	258	10.2	322	12.8	477	18.9
		64	306-210-D	19.9	217	10.9	255	12.8	318	16.0	476	23.9
		76	306-212-D	16.6	215	12.9	253	15.2	316	19.0	474	28.5
		89	306-214-D	14.0	211	15.1	249	17.8	311	22.3	461	33.0
		102	306-216-D	12.7	220	17.3	259	20.4	324	25.5	457	36.0
305	306-248-D	3.8	199	51.9	234	61.0	293	76.3	426	111.0		
16.0	8.5	25	306-304-D	136.2	579	4.3	681	5.0	851	6.3	1158	8.5
		32	306-305-D	99.1	539	5.4	634	6.4	792	8.0	1090	11.0
		38	306-306-D	82.8	535	6.5	629	7.6	786	9.5	1092	13.2
		44	306-307-D	70.7	529	7.5	622	8.8	777	11.0	1039	14.7
		51	306-308-D	60.5	525	8.7	617	10.2	772	12.8	1071	17.7
		64	306-310-D	48.1	523	10.9	615	12.8	769	16.0	1053	21.9
		76	306-312-D	39.9	515	12.9	606	15.2	757	19.0	1108	27.8
		89	306-314-D	34.2	518	15.1	609	17.8	762	22.3	1068	31.2
		102	306-316-D	29.5	511	17.3	601	20.4	751	25.5	1116	37.9
		114	306-318-D	26.4	512	19.4	602	22.8	752	28.5	1175	44.5
		305	306-348-D	9.8	508	51.9	597	61.0	746	76.3	1106	113.0
20.0	10.0	25	306-404-D	326.5	1345	4.3	1583	5.0	1978	6.3	2253	6.9
		32	306-405-D	244.9	1291	5.4	1518	6.4	1898	8.0	2302	9.4
		38	306-406-D	199.2	1247	6.5	1467	7.6	1834	9.5	2390	12.0
		44	306-407-D	170.3	1202	7.5	1415	8.8	1768	11.0	2299	13.5
		51	306-408-D	146.9	1202	8.7	1414	10.2	1768	12.8	2380	16.2
		64	306-410-D	114.7	1177	10.9	1385	12.8	1731	16.0	2431	21.2
		76	306-412-D	94.0	1147	12.9	1349	15.2	1686	19.0	2322	24.7
		89	306-414-D	78.4	1119	15.1	1316	17.8	1645	22.3	2258	28.8
		102	306-416-D	68.1	1115	17.3	1312	20.4	1640	25.5	2371	34.8
		115	306-418-D	60.3	1112	19.6	1308	23.0	1635	28.8	2351	39.0
		127	306-420-D	54.0	1101	21.6	1295	25.4	1619	31.8	2324	43.0
		139	306-422-D	48.5	1081	23.6	1272	27.8	1589	34.8	2197	45.3
		152	306-424-D	44.4	1082	25.8	1273	30.4	1591	38.0	2238	50.4
		305	306-448-D	22.0	1075	51.9	1265	61.0	1581	76.3	2266	103.0
25.0	12.5	25	306-504-D	459.0	1951	4.3	2295	5.0	2869	6.3	3351	7.3
		32	306-505-D	348.2	1894	5.4	2229	6.4	2786	8.0	3726	10.7
		38	306-506-D	277.2	1790	6.5	2106	7.6	2633	9.5	3326	12.0
		44	306-507-D	236.2	1767	7.5	2078	8.8	2598	11.0	3401	14.4
		51	306-508-D	196.8	1706	8.7	2008	10.2	2509	12.8	3425	17.4
		64	306-510-D	155.2	1689	10.9	1987	12.8	2483	16.0	3321	21.4
		76	306-512-D	129.3	1671	12.9	1966	15.2	2457	19.0	3479	26.9
		89	306-514-D	108.7	1644	15.1	1934	17.8	2417	22.3	3357	30.9
		102	306-516-D	95.3	1653	17.3	1944	20.4	2430	25.5	3498	36.7
		115	306-518-D	84.9	1659	19.6	1952	23.0	2440	28.8	3421	40.3
		127	306-520-D	76.3	1647	21.6	1938	25.4	2423	31.8	3441	45.1
		139	306-522-D	69.3	1637	23.6	1926	27.8	2408	34.8	3298	47.6
		152	306-524-D	63.5	1640	25.8	1929	30.4	2411	38.0	3395	53.5
		178	306-528-D	54.5	1650	30.3	1942	35.6	2427	44.5	3485	63.9
		203	306-532-D	47.7	1644	34.5	1935	40.6	2418	50.8	3345	70.2
		305	306-548-D	31.5	1634	51.9	1922	61.0	2403	76.3	3466	110.0



ISO 10243 D SERIES



H	R	Lo	Part No.	P/f	L ₁ 17%		L ₂ 20%		L ₃ 25%		L ₄	
					N	D	N	D	N	D	N	D
32.0	16.0	38	306-606-D	478.3	3090	6.5	3635	7.6	4544	9.5	5453	11.4
		44	306-607-D	420.0	3142	7.5	3696	8.8	4620	11.0	5754	13.7
		51	306-608-D	351.4	3047	8.7	3584	10.2	4481	12.8	5482	15.6
		64	306-610-D	273.3	2974	10.9	3499	12.8	4373	16.0	5467	20.0
		76	306-612-D	226.6	2927	12.9	3444	15.2	4305	19.0	5529	24.4
		89	306-614-D	193.5	2927	15.1	3444	17.8	4305	22.3	5746	29.7
		102	306-616-D	162.5	2817	17.3	3314	20.4	4142	25.5	5702	35.1
		115	306-618-D	144.7	2829	19.6	3328	23.0	4160	28.8	5643	39.0
		127	306-620-D	132.5	2860	21.6	3364	25.4	4206	31.8	5669	42.8
		139	306-622-D	118.8	2806	23.6	3302	27.8	4127	34.8	5772	48.6
		152	306-624-D	109.0	2816	25.8	3313	30.4	4142	38.0	5711	52.4
		178	306-628-D	91.8	2779	30.3	3270	35.6	4087	44.5	5593	60.9
		203	306-632-D	80.5	2777	34.5	3267	40.6	4084	50.8	5569	69.2
		254	306-640-D	64.3	2774	43.2	3264	50.8	4080	63.5	5660	88.1
305	306-648-D	53.4	2768	51.9	3257	61.0	4071	76.3	5553	104.0		
40.0	20.0	51	306-708-D	588.7	5104	8.7	6004	10.2	7505	12.8	8830	15.0
		64	306-710-D	452.8	4927	10.9	5796	12.8	7245	16.0	8830	19.5
		76	306-712-D	373.8	4829	12.9	5681	15.2	7101	19.0	8708	23.3
		89	306-714-D	314.0	4750	15.1	5588	17.8	6985	22.3	8382	26.7
		102	306-716-D	273.8	4748	17.3	5585	20.4	6982	25.5	9254	33.8
		115	306-718-D	242.8	4746	19.6	5583	23.0	6979	28.8	8788	36.2
		127	306-720-D	218.0	4707	21.6	5538	25.4	6922	31.8	8873	40.7
		139	306-722-D	196.2	4637	23.6	5455	27.8	6819	34.8	8732	44.5
		152	306-724-D	179.7	4644	25.8	5464	30.4	6830	38.0	8915	49.6
		178	306-728-D	151.9	4597	30.3	5408	35.6	6760	44.5	9099	59.9
		203	306-732-D	132.7	4578	34.5	5386	40.6	6732	50.8	8901	67.1
254	306-740-D	105.6	4559	43.2	5364	50.8	6705	63.5	9112	86.3		
305	306-748-D	87.9	4556	51.9	5359	61.0	6699	76.3	9137	104.0		
50.0	25.0	64	306-810-D	671.4	7305	10.9	8594	12.8	10742	16.0	14435	21.5
		76	306-812-D	537.1	6940	12.9	8164	15.2	10205	19.0	13428	25.0
		89	306-814-D	451.2	6826	15.1	8031	17.8	10039	22.3	13445	29.8
		102	306-816-D	389.0	6744	17.3	7935	20.4	9918	25.5	13497	34.7
		115	306-818-D	341.8	6682	19.6	7861	23.0	9827	28.8	13535	39.6
		127	306-820-D	304.9	6582	21.6	7743	25.4	9679	31.8	13230	43.4
		139	306-822-D	275.1	6501	23.6	7648	27.8	9560	34.8	13013	47.3
		152	306-824-D	250.7	6477	25.8	7620	30.4	9525	38.0	13059	52.1
		178	306-828-D	208.9	6321	30.3	7436	35.6	9295	44.5	12763	61.1
		203	306-832-D	184.9	6381	34.5	7507	40.6	9384	50.8	13055	70.6
		254	306-840-D	146.5	6325	43.2	7442	50.8	9302	63.5	13038	89.0
305	306-848-D	120.0	6221	51.9	7319	61.0	9149	76.3	12647	105.4		
63.0	38.0	76	306-912-D	952	12300	12.9	14470	15.2	-	-	16374	17.2
		89	306-914-D	819	12391	15.1	14578	17.8	-	-	17265	21.1
		102	306-916-D	700	12138	17.3	14280	20.4	-	-	21490	30.7
		114	306-918-D	620	12016	19.4	14136	22.8	-	-	21638	34.9
		127	306-920-D	565	12198	21.6	14351	25.4	-	-	21470	38.0
		152	306-924-D	458	11835	25.8	13923	30.4	-	-	21618	47.2
		178	306-928-D	384	11620	30.3	13670	35.6	-	-	21427	55.8
		203	306-932-D	337	11630	34.5	13682	40.6	-	-	21838	64.8
		254	306-940-D	263	11356	43.2	13360	50.8	-	-	22802	86.7
305	306-948-D	218	11303	51.9	13298	61.0	-	-	23108	106.0		

ISO



ISO 10243 D SERIES



ULTRA STRONG DUTY ISO COLOUR CODED **SILVER**


CHARGE SUPER FORTE NORME ISO COULEUR **ARGENT**

CARGA SUPER FUERTES **PLATA** CÓDIGO COLOR SEGÚN ISO

ULTRASCHWERER BELASTUNG ISO FARBUNTERLEGTES **SILBER**

CARICO SUPER PESANTE CODICE CROMATICO ISO **ARGENTO**

CARGA SUPER PESADA COR **PRATA** (ISO)



ISO

H	R	Lo	Part No.	P/f	L ₁ 10%		L ₂ 13.5%		L ₃ 15%		L ₄ ⚠	
					N	D	N	D	N	D	N	D
25.0	12.5	64	307-510-D	644.0	4122	6.4	5564	8.6	6182	9.6	8501	13.2
		76	307-512-D	556.0	4226	7.6	5705	10.3	6338	11.4	8952	16.1
		89	307-514-D	462.0	4112	8.9	5551	12.0	6168	13.4	9240	20.0
		102	307-516-D	390.0	3978	10.2	5370	13.8	5967	15.3	9048	23.2
		115	307-518-D	360.0	4140	11.5	5589	15.5	6210	17.3	9468	26.3
		127	307-520-D	326.0	4140	12.7	5589	17.1	6210	19.1	9258	28.4
		152	307-524-D	255.0	3876	15.2	5233	20.5	5814	22.8	8696	34.1
		178	307-528-D	230.0	4094	17.8	5527	24.0	6141	26.7	8993	39.1
		203	307-532-D	202.0	4101	20.3	5536	27.4	6151	30.5	9151	45.3
		305	307-548-D	136.0	4148	30.5	5600	41.2	6222	45.8	8582	63.1
32.0	16.0	64	307-610-D	1077.0	6893	6.4	9305	8.6	10339	9.6	14216	13.2
		76	307-612-D	874.0	6642	7.6	8967	10.3	9964	11.4	14071	16.1
		89	307-614-D	721.0	6417	8.9	8663	12.0	9625	13.4	14564	20.2
		102	307-616-D	620.0	6324	10.2	8537	13.8	9486	15.3	14322	23.1
		115	307-618-D	560.0	6440	11.5	8694	15.5	9660	17.3	14784	26.4
		127	307-620-D	496.0	6299	12.7	8504	17.1	9449	19.1	14235	28.7
		152	307-624-D	408.0	6202	15.2	8372	20.5	9302	22.8	13872	34.0
		178	307-628-D	353.0	6283	17.8	8483	24.0	9425	26.7	13838	39.2
		203	307-632-D	304.0	6171	20.3	8331	27.4	9257	30.5	13710	45.1
		254	307-640-D	243.0	6172	25.4	8332	34.3	9258	38.1	15163	62.4
305	307-648-D	196.0	5978	30.5	8070	41.2	8967	45.8	14720	75.1		
40.0	20.0	89	307-714-D	880.0	7832	8.9	10573	12.0	11748	13.4	17776	20.2
		102	307-716-D	762.0	7772	10.2	10493	13.8	11659	15.3	17907	23.5
		115	307-718-D	679.0	7809	11.5	10541	15.5	11713	17.3	17858	26.3
		127	307-720-D	622.0	7899	12.7	10664	17.1	11849	19.1	17540	28.2
		152	307-724-D	509.0	7737	15.2	10445	20.5	11605	22.8	18375	36.1
		178	307-728-D	429.0	7636	17.8	10309	24.0	11454	26.7	18704	43.6
		203	307-732-D	374.0	7592	20.3	10249	27.4	11388	30.5	18588	49.7
		254	307-740-D	296.0	7518	25.4	10150	34.3	11278	38.1	18382	62.1
305	307-748-D	246.0	7503	30.5	10129	41.2	11255	45.8	18622	75.7		
50.0	25.0	89	307-814-D	1410.0	12549	8.9	16941	12.0	18824	13.4	26931	19.1
		102	307-816-D	1215.0	12393	10.2	16731	13.8	18590	15.3	27095	22.3
		115	307-818-D	1076.0	12374	11.5	16705	15.5	18561	17.3	27546	25.6
		127	307-820-D	968.0	12294	12.7	16596	17.1	18440	19.1	27201	28.1
		152	307-824-D	806.0	12251	15.2	16539	20.5	18377	22.8	27888	34.6
		178	307-828-D	698.0	12424	17.8	16773	24.0	18637	26.7	28060	40.2
		203	307-832-D	612.0	12424	20.3	16772	27.4	18635	30.5	27601	45.1
		254	307-840-D	472.0	11989	25.4	16185	34.3	17983	38.1	27518	58.3
305	307-848-D	388.0	11834	30.5	15976	41.2	17751	45.8	27432	70.7		





NOTES

A large area consisting of numerous horizontal grey bars, intended for providing technical notes or specifications.