

## Magnets

### Disk-Shaped, with Handle, with Plastic Housing

#### SPECIFICATION

##### Types

- Type **A**: Without eyelet
- Type **B**: With eyelet

Magnet material

NdFeB **ND**

Neodymium, iron, boron

Temperature resistant up to 80 °C

Housing

Plastic

- White, RAL 9003 **WS**

- Gray, RAL 7040 **GR**

- Black, RAL 9004 **SW**

- Red, RAL 3031 **RT**

Countersunk screw

Stainless steel



#### INFORMATION

Magnets GN 53.3 work in combination with the ergonomic plastic handle as a system for holding documents, templates, drawings etc. that are used in technical environments.

The neodymium magnet keeps the required contact diameter small while also supplying a high retaining force.

Type B with eyelet also offers the ability to protect the magnet from being lost with a retaining cable.


- More Information on Retaining Magnets (see page 2022)

#### ACCESSORY

- Holding Disks GN 70 (see page 2051)
- Adhesive Disks GN 70.1 (see page 2051)
- Stainless Steel Retaining Cables GN 111.2 (see page 906)
- Spiral Retaining Cables GN 111.4 (see page 908)

#### ON REQUEST

- Other colors



#### GN 53.3-A

Description	d1	d2	h1	h2	Nominal magnetic force in N	⚖️
GN 53.3-ND-17-A-WS	17	12	22.5	6	35	8
GN 53.3-ND-17-A-GR	17	12	22.5	6	35	8
GN 53.3-ND-17-A-SW	17	12	22.5	6	35	8
GN 53.3-ND-17-A-RT	17	12	22.5	6	35	8

#### GN 53.3-B

Description	d1	b	d2	d3	h1	h2	Nominal magnetic force in N	⚖️
GN 53.3-ND-17-B-WS	17	6	12	4	22.5	6	35	7
GN 53.3-ND-17-B-GR	17	6	12	4	22.5	6	35	7
GN 53.3-ND-17-B-SW	17	6	12	4	22.5	6	35	7
GN 53.3-ND-17-B-RT	17	6	12	4	22.5	6	35	7