



GN 990-ST-D10-100-ZB	D 10 $\pm 0,1$	-	100	7	-	1.5	-	31
GN 990-ST-D12-100-ZB	D 12 $\pm 0,1$	-	100	9	-	1.5	-	40
GN 990-ST-D14-100-ZB	D 14 $\pm 0,1$	-	100	11	-	1.5	-	46
GN 990-ST-D15-100-ZB	D 15 $\pm 0,1$	-	100	12	-	1.5	-	52
GN 990-ST-D16-100-ZB	D 16 $\pm 0,1$	-	100	13	-	1.5	-	54
GN 990-ST-D18-100-ZB	D 18 $\pm 0,1$	-	100	15	-	1.5	-	61
GN 990-ST-D20-100-ZB	D 20 $\pm 0,1$	-	100	16	-	2	-	89
GN 990-ST-D25-100-ZB	D 25 $\pm 0,1$	-	100	21	-	2	-	113
GN 990-ST-D30-100-ZB	D 30 $\pm 0,1$	-	100	26	-	2	-	138
GN 990-ST-D32-100-ZB	D 32 $\pm 0,15$	-	100	28	-	2	-	148
GN 990-ST-D35-100-ZB	D 35 $\pm 0,15$	-	100	31	-	2	-	163
GN 990-ST-D40-100-ZB	D 40 $\pm 0,15$	-	100	34	-	3	-	274
GN 990-ST-D42-100-ZB	D 42 $\pm 0,2$	-	100	36	-	3	-	288
GN 990-ST-D45-100-ZB	D 45 $\pm 0,2$	-	100	39	-	3	-	312
GN 990-ST-D48-100-ZB	D 48 $\pm 0,2$	-	100	42	-	3	-	334
GN 990-ST-D50-100-ZB	D 50 $\pm 0,2$	-	100	44	-	3	-	348
GN 990-ST-D55-100-ZB	D 55 $\pm 0,25$	-	100	47	-	4	-	506
GN 990-ST-D60-100-ZB	D 60 $\pm 0,25$	-	100	52	-	4	-	550
GN 990-ST-V20-100-ZB	-	V 20	100	-	16	-	2	112
GN 990-ST-V25-100-ZB	-	V 25	100	-	21	-	2	144
GN 990-ST-V30-100-ZB	-	V 30	100	-	26	-	2	175
GN 990-ST-V35-100-ZB	-	V 35	100	-	31	-	2	206
GN 990-ST-V40-100-ZB	-	V 40	100	-	34	-	3	333
GN 990-ST-V45-100-ZB	-	V 45	100	-	39	-	3	380
GN 990-ST-V50-100-ZB	-	V 50	100	-	44	-	3	428
GN 990-AL-D10-100-*	D 10 $\pm 0,1$	-	100	7	-	1.5	-	11
GN 990-AL-D12-100-*	D 12 $\pm 0,1$	-	100	9	-	1.5	-	14
GN 990-AL-D14-100-*	D 14 $\pm 0,1$	-	100	11	-	1.5	-	16
GN 990-AL-D15-100-*	D 15 $\pm 0,1$	-	100	12	-	1.5	-	18
GN 990-AL-D16-100-*	D 16 $\pm 0,1$	-	100	13	-	1.5	-	18
GN 990-AL-D18-100-*	D 18 $\pm 0,1$	-	100	15	-	1.5	-	21
GN 990-AL-D20-100-*	D 20 $\pm 0,1$	-	100	16	-	2	-	31
GN 990-AL-D25-100-*	D 25 $\pm 0,1$	-	100	21	-	2	-	39
GN 990-AL-D30-100-*	D 30 $\pm 0,1$	-	100	26	-	2	-	48
GN 990-AL-D32-100-*	D 32 $\pm 0,15$	-	100	28	-	2	-	51
GN 990-AL-D35-100-*	D 35 $\pm 0,15$	-	100	31	-	2	-	56
GN 990-AL-D40-100-*	D 40 $\pm 0,15$	-	100	34	-	3	-	94
GN 990-AL-D45-100-*	D 45 $\pm 0,2$	-	100	39	-	3	-	107

GN 990-AL-D48-100-*	D 48 $\pm 0,2$	-	100	42	-	3	-	115
GN 990-AL-D50-100-*	D 50 $\pm 0,2$	-	100	44	-	3	-	120
GN 990-AL-D60-100-*	D 60 $\pm 0,25$	-	100	52	-	4	-	188
GN 990-AL-V10-100-*	-	V 10	100	-	7	-	1.5	10
GN 990-AL-V12-100-*	-	V 12	100	-	9	-	1.5	12
GN 990-AL-V16-100-*	-	V 16	100	-	13	-	1.5	16
GN 990-AL-V20-100-*	-	V 20	100	-	16	-	2	39
GN 990-AL-V25-100-*	-	V 25	100	-	21	-	2	50
GN 990-AL-V30-100-*	-	V 30	100	-	26	-	2	61
GN 990-AL-V35-100-*	-	V 35	100	-	31	-	2	71
GN 990-AL-V40-100-*	-	V 40	100	-	34	-	3	120
GN 990-AL-V45-100-*	-	V 45	100	-	39	-	3	136
GN 990-AL-V50-100-*	-	V 50	100	-	44	-	3	152

\* Complete the description of the standard item needed by adding the finish of the aluminium construction tubings: blank (BL) or anodized (EL).



STANDARD MACHINE ELEMENTS WORLDWIDE