




MFX 23-HCO

Steel
Zinc plated



MASTERGRIP | Hex-T open end | cylindrical head

$\emptyset d$		l [+/- 0,2]		Item nr.	$\emptyset dk$ [+0,3/-0,5]	k \leq	SW [+0/-0,2]			
[mm]		[mm]	[mm]		[mm]	[mm]	[mm]	[Nm]	[N]	[N]
M4	*	13,0	0,5-3,0	23H04C01	9,5	1,1	6,0	5,0	4.900	1.400
SW1 6,1										
M5	*	14,5	0,5-3,0	23H05C01	10,5	1,1	7,0	7,0	8.800	1.900
SW1 7,1										
M6	*	17,0	0,5-3,0	23H06C01	12,5	1,6	9,0	14,0	16.600	2.900
SW1 9,1										
M8	*	19,0	0,5-3,0	23H08C01	14,5	1,6	11,0	22,0	21.500	3.000
SW1 11,1										
M10	*	24,0	0,8-4,0	23H10C01	16,5	2,1	13,0	35,0	29.400	3.400
SW1 13,1										



SW: Rivet nut exterior measurement flat side to flat side.
SW1: Hole interior measurement flat side to flat side.
SE: Hole interior measurement corner to corner.(not listed)

=	identical to old program
!	improved technical data
*	addition