



PART NO.		DIM. "A" REF	DIM. "B" REF	DIM. "C" REF	PANEL THICKNESS
NYLON 6/6 UL 94 V-2 (RMS-01)	NYLON 6/6 UL 94 V-0 (RMS-19)				
LWS-A-1-01	LWS-A-1-19	.52 [13.2]	.14 [3.6]	.11 [2.8]	1/16 [1.6]
LWS-A-2-01	LWS-A-2-19	.71 [18]	.33 [8.4]		
LWS-A-3-01	LWS-A-3-19	1.07 [27.2]	.69 [17.5]		
LWS-A-4-01	LWS-A-4-19	1.38 [35]	1.00 [25.4]	.15 [3.8]	1/8 [3.2]
LWS-A-2-1-01	LWS-A-2-1-19	.52 [13.2]	.14 [3.6]		
LWS-A-2-2-01	LWS-A-2-2-19	.71 [18]	.33 [8.4]		
LWS-A-2-3-01	LWS-A-2-3-19	1.07 [27.2]	.69 [17.5]		
LWS-A-2-4-01	LWS-A-2-4-19	1.38 [35]	1.00 [25.4]		

TO SNAP-LOCK IN A .187±.003
[4.75±0.08] DIA. HOLE,
IN A PANEL THICKNESS INDICATED

AS MOLDED POSITION

LOCKED POSITION

NOTES:
1. COLOR: NATURAL.
2. ALTERNATE UNITS FOR REFERENCE ONLY.

TITLE: LOCKING WIRE SADDLE W/ ARROWHEAD						
CREATED USING SOLIDWORKS			FILE #: LWS-A		DWN: SK	
TOLERANCES UNLESS NOTED .XX=±.010 .XXX=±.005 FRAC.=±1/64 ANG.=±1°			SHEET: 1 OF 1 SHEET SIZE: A		APP: RT	
REV. DESCRIPTION ENGR. DATE			DT: 06/13/07		CHKD: RG	
F SEE CO 200513 FOR CHANGES SK 03.24.10			RE: RICHCO, INC.		RICHCO, INC. ENG@RICHCO-INC.COM (773) 539-4060	
E SEECO 200341 FOR CHANGES SK 03/17/09			PART #		PRINT TYPE	
D REDRAWN, SEE ECN #1333 FOR CHANGES SK 06/13/07			SEE TABLE		CA	
- SEE ENGINEERING FOR REV A-C - -			FINAL		DWG IN IN [MM]	
ENGR. DATE			DWG IN IN [MM]		FINAL	