


FERRITE MATERIAL:K5B (RMS-303)											
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK					
				25MHz	100MHz						
				RRH-25-8-40	2.50		4.00	0.80	33	52	2,000
RRH-25-8-70	7.00	55	85								
RRH-30-10-30	3.00	3.00	1.00	25	47	4,000					
RRH-30-12-30			1.20	23	44						
RRH-30-10-40		4.00	32	51							
RRH-30-10-60	6.00	1.00	46	74							
RRH-35-8-35	3.50	3.50	0.80	37	62		2,000				
RRH-35-12-35			1.20	26	45						
RRH-35-18-35			1.80	19	37						
RRH-35-10-40		4.00	1.00	32	55			2,000			
RRH-35-12-40			1.20	31	46						
RRH-35-13-40			1.30	29	48						
RRH-35-15-40			1.50	25	43						
RRH-35-8-45		4.50	0.80	46	86	2,000					
RRH-35-8-47		4.70		46	77						
RRH-35-8-50		5.00	1.20	50	85				2,000		
RRH-35-12-50	37			55							
RRH-35-13-50	1.30		61	51							
RRH-35-15-50	1.50		33	51							
RRH-35-18-50	1.80	27	48	4,000							
RRH-35-8-60	3.50	0.80	57		92		2,000				
RRH-35-10-60		1.00	53		75						
RRH-35-12-60		1.20	45		73						
RRH-35-13-60	6.00	1.30	43		64	4,000					
RRH-35-15-60		1.50	35		60						
RRH-35-18-60		1.80	28		54						
RRH-35-12-70	7.00	1.20	54		84			2,000			
RRH-35-8-75	7.50	0.80	69		114				4,000		
RRH-35-8-80	77		134								
RRH-35-10-80	8.00	1.00	78	111	2,000						
RRH-35-8-90	9.00	0.80	93	158			2,000				
RRH-35-13-90		1.30	62	80							
RRH-35-8-95	9.50	0.80	84	133						1,000	
RRH-35-8-140	14.00	144	212								
RRH-40-15-40	4.00	1.50	26	51		2,000					
RRH-40-20-40		2.00	24	48							4,000
RRH-40-15-50		5.00	1.50	35				54			
RRH-40-20-50		2.00	28	51				2,000			
RRH-40-20-60			30	49							
RRH-40-20-70		40	64	2,000							
RRH-40-20-80		39	58								
RRH-40-15-100		0.05	65		91		2,000				
RRH-40-20-100		10.00	53		80						
RRH-40-20-120		12.00	52		76						
RRH-40-20-150	15.00	70	97								
RRH-40-20-170	17.00	79	116								

FERRITE MATERIAL:K5B (RMS-303)									
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK			
				25MHz	100MHz				
				RRH-45-25-48	4.50		4.80	2.50	21
RRH-45-25-70	7.00	32	55						
RRH-45-26-120	4.60	12.00	2.60	49	72	1,000			
RRH-46-20-110		11.00	2.00	65	104				
RRH-48-23-64	4.83	6.35	2.29	43	80		500		
RRH-50-23-50	5.00	5.00	2.30	30	55				
RRH-50-16-62		6.20	1.60	56	91				
RRH-50-24-64		6.35	2.36	32	50				
RRH-50-23-100		10.00	2.30	51	72				
RRH-50-15-110	5.70	11.00	1.50	84	119			1,000	
RRH-50-22-120		12.00	2.15	69	108				
RRH-50-22-180		18.00	128	147					
RRH-50-15-200	20.00	158	221	500					
RRH-57-15-80	8.00	1.50	76		111				
RRH-60-30-100	6.00	10.00	3.00		52	90	1,000		
RRH-60-40-100		4.00	27		48				
RRH-60-40-128	6.35	12.80	4.00		34	54			500
RRH-60-32-180		18.00	3.15		100	155			
RRH-60-30-250		25.00	3.00		120	175			
RRH-64-33-127	6.50	12.70	3.30		55	80		1,000	
RRH-64-33-158		15.80			76	101			
RRH65-43-100	7.50	10.00	4.30		34	62			
RRH-65-43-110		11.00		38	63				
RRH-75-24-75	7.50	7.50	2.40	60	102	1,000			
RRH-79-30-100	7.90	10.00	3.00	68	108				
RRH-79-40-128		12.80	4.00	66	107				
RRH-79-30-190		19.00	3.00	130	190				
RRH-80-60-90	8.00	9.00	6.00	23	47		500		
RRH-80-60-98		9.80		22	41				
RRH-80-40-100		10.00		4.00	48			71	
RRH-80-32-101		10.06		3.18	67			115	
RRH-80-60-120	9.30	12.00	6.00	25	45			300	
RRH-80-50-160		16.00	5.00	59	104				
RRH93-45-95		9.50	4.50	53	98				
RRH-93-58-110	9.50	11.00	5.80	37	62	500			
RRH-95-48-95		9.50	4.80	50	86				
RRH-95-52-95	10.00	5.20	45	76	300				
RRH-95-52-100		48	74						
RRH-95-58-100	10.40	5.80	38	68					
RRH-95-50-104		5.00	53	81					
RRH-95-48-127		12.70	4.80	56			80		
RRH-95-50-145	14.50	5.00	75	121			500		
RRH-95-50-160			72	114					
RRH-95-50-190			95	135					
RRH-95-50-195	19.50	98	153						
RRH-96-51-159	9.52	15.88	5.08	74		103			

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



- NOTES.
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 1 OF 13	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-98-8-114	9.80	11.40	0.80	167	256	200	
RRH-98-67-135		13.50	6.70	43	91	500	
RRH-98-67-191		19.05		51	88	300	
RRH-100-50-100	10.00	10.00	5.00	54	85	500	
RRH-100-60-100		10.00	6.00	38	66		
RRH-100-70-100		10.00	7.00	31	57		
RRH-100-60-140	14.00	6.00	45	73	200		
RRH-105-55-200	10.50	20.00	5.50	95	138	150	
RRH-105-55-250		25.00		106	173		
RRH-110-50-160	11.00	16.00	5.00	87	138	200	
RRH-110-50-185		18.50		113	178		
RRH-110-50-200		20.00		106	154		
RRH-110-50-250		25.00		145	230		400
RRH-115-50-185	11.50	18.50	4.30	101	146	100	
RRH-115-43-200		20.00		148	210		
RRH-115-43-260		26.00		190	270		
RRH-118-73-150	11.80	15.00	7.30	61	109	200	
RRH-120-70-120	12.00	12.00	7.00	46	76	300	
RRH-120-85-120		12.00	8.50	39	75	200	
RRH-120-56-150		12.00	5.60	79	124		
RRH-120-70-150		12.00	7.00	60	92		
RRH-120-85-150		12.00	8.50	45	85	165	
RRH-120-56-200		12.00	5.60	119	175		
RRH-120-73-200		12.00	7.30	69	108	100	
RRH-120-35-230		12.00	23.00	3.50	207		326
RRH-120-56-300		12.00	30.00	5.60	180	260	110
RRH-122-79-203		12.20	23.00	7.90	67	108	100
RRH-123-70-200	12.30	20.00	7.00	72	137	165	
RRH-123-49-254	12.32	25.40	4.88	172	264	100	
RRH-125-80-125	12.50	12.50	8.00	42	72	200	
RRH-125-52-150		12.50	15.00	5.20	95		145
RRH-127-79-127	12.70	12.70	7.90	43	60	110	
RRH-140-90-150	14.00	15.00	9.00	48	82		
RRH-142-64-150	14.20	14.20	6.35	92	146		
RRH-142-70-150		14.20	7.00	78	116		
RRH-142-80-150		14.20	8.00	63	107		
RRH-142-64-180		14.20	18.00	6.35	99	141	100
RRH-142-70-235	14.20	14.20	7.00	127	204	110	
RRH-142-64-285		14.20	6.35	164	255		
RRH-142-70-285		14.20	28.50	7.00	143		243
RRH-142-80-285	14.99	14.99	8.00	128	195	128	
RRH-149-70-190		14.99	19.00	6.99	107		171
RRH-149-70-279	14.99	27.94	6.99	151	237	110	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-153-102-285	15.20	28.50	10.20	81	128	99	
RRH-153-90-170	15.25	17.00	9.00	53	103	120	
RRH-153-80-280		28.00	8.00	122	180	99	
RRH-157-70-286	15.65	28.57	6.99	164	258		
RRH-158-79-160	15.80	16.00	7.90	84	132	100	
RRH-159-79-286	15.88	28.57	7.87	148	241	99	
RRH-160-90-200	16.00	2.00	9.00	98	124	112	
RRH-160-80-160		16.00	8.00	77	116	100	
RRH-160-90-170		16.00	17.00	9.00	61	115	120
RRH-160-43-175		16.00	17.50	4.30	92	213	126
RRH-160-70-200		16.00	20.00	7.00	111	163	96
RRH-160-70-280		16.00	28.00	7.00	174	247	99
RRH-160-90-280		16.00	28.00	9.00	104	178	
RRH-160-100-280		16.00	28.00	10.00	91	156	
RRH-160-90-285		16.00	28.50	9.00	105	195	48
RRH-163-79-508		16.25	50.80	7.90	226	368	
RRH-171-88-254	17.07	25.40	8.76	122	180	88	
RRH-175-80-285	17.50	28.50	8.00	139	203		
RRH-175-83-285			8.30	143	242		
RRH-175-95-285			9.50	115	170		
RRH-175-107-285			10.70	90	150		
RRH-175-95-350	35.00	9.50	152	253	100		
RRH-180-100-180	18.00	18.00	8.00	135		135	
RRH-180-100-280	18.00	28.00	8.00	124	209	88	
RRH-180-100-290	18.00	29.00	8.00	128	210		
RRH-186-102-250	18.67	25.00	10.16	115	178	77	
RRH-186-102-286				28.57	117		171
RRH-190-130-290	19.00	19.00	13.00	60	105	40	
RRH-190-58-315				31.50	243		323
RRH-190-58-350				35.00	272		340
RRH-190-63-350	35.00	6.30	242	324	32		
RRH-259-128-286	25.91	28.57	12.83	127		195	
RRH-280-160-280	28.00	28.00	16.00	110	169	24	
RRH-285-138-286	28.50	28.57	13.77	158	250		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF

















NOTES.

- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
- Impedance figures are typical values.
- Other sizes available by special order.
- Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°		THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table		
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table		
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3	
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06	SCALE 2 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055				SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 8 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 11 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.













INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 13 OF 13	